

Family planning services during the COVID 19 pandemic

Rita Kabra, MBBS, MPH

Contraception and Fertility Care Unit

Department of Sexual and Reproductive Health

Twitter [@HRPresearch](https://twitter.com/HRPresearch)



Training objectives

By the end of this session, you should be able to:

- Describe the rationale for continuing FP services during the COVID-19 pandemic
- Describe the effect of COVID-19 on Family planning services
- Apply WHO guidance to maintain FP services during the COVID-19 pandemic

Main benefits of family planning/contraception

1. Secures the well being and autonomy of women

2. Empowers people and enhances education

3. Supports the health and development of communities

4. Prevents unplanned pregnancy, abortion and pregnancy-related health risks of women

5. Prevents adolescent pregnancy

6. Reduces infant mortality and prevents HIV/AIDS transmission to newborns

7. Slows population growth

Meeting the unmet need for contraception

Meeting the unmet need for contraception across the reproductive cycle in low- and middle-income countries and offering all pregnant women and their newborns the standard care would result in :


- reductions of unintended pregnancies by 68%
- unsafe abortions by 72%
- maternal deaths by 62%
- neonatal deaths by 69%. *

Recommended by the World Health Organization (WHO)

* *Adding it up: investing in sexual and reproductive health*. New York, NY: Guttmacher Institute, 2020.

Rationale

- The COVID-19 pandemic is posing unprecedented **challenges to governments and health systems.**
- The **direct impact of the pandemic** is already significant; however, evidence suggests that the most important **effects will be indirect.**
- In multiple settings, access and utilization of essential health services have been compromised.
- According to surveys conducted by WHO, UNICEF, MOMENTUM 2A, and others in previous epidemics, such as SARS in Taiwan and Ebola in West Africa, impacts on service utilization resulted in higher number of deaths than the disease outbreak itself.
- **Increase in unmet need.**
- **Unintended pregnancies and its consequences.**




FP Services during COVID- 19 pandemic

- Disruption or interruption in the provision of family planning services during the COVID-19 crisis may result in a dramatic increase in unintended pregnancies and need for abortion care.
- The Guttmacher Institute estimates that a 10% proportional decline in short- and long-term reversible contraceptive use would result in an additional 49 million women with an unmet need for modern contraception and an additional 15 million unintended pregnancies, over the course of a year.
- Maintaining essential services is crucial to protecting girls and women from the negative health consequences of unintended pregnancies, such as unsafe abortion and serious pregnancy complications, which contribute to maternal and infant mortality.

FP services during COVID- 19 pandemic

- Provision of modern contraceptives (short-term and long-acting), information, counseling, and access to services (including emergency contraception) is lifesaving and should be available and accessible during the COVID-19 pandemic.
- **Ensuring access to contraception is fundamental to upholding human rights** as well as contributing to improved health outcomes, as recognised in **SDG 3.7** for universal access to sexual and reproductive healthcare services.






Source: CDC

EFFECT OF COVID-19 ON FAMILY PLANNING SERVICES

Effect of COVID-19 on family planning services



Effects of COVID-19 on family planning

- The full impact on family planning and women and girls' access to services still is not known, and will not be for some time
- Early assessment shows -
 - Two-thirds of the 103 countries surveyed by the World Health Organization reported disruptions to family planning and contraceptive services (*Pulse survey on continuity of essential health services during COVID-19 pandemic-Interim report*).
 - Lockdowns and movement restrictions have impacted access to services and the availability of commodities and supplies. This is particularly true with long-acting reversible contraceptives (LARCs) as they require healthcare workers for insertion and removal procedures, as well as clients were afraid to go to health facilities.
 - This has implications for changes in the method mix, discontinuation rates for short-term contraceptive methods (STMs).


An example of impact of COVID-19 on FP services in India



- Over 2 crore couples in country deprived from availing contraceptives
- To result in around 23 lakh unintended pregnancies
- Since lockdown, provision of sterilization and intra uterine contraceptive devices suspended
- Overall adverse impact on family planning programme in 2020 is estimated to be between -15% to -23%

Source: Times of India, 12th July 2020

Response to maintain FP services during the pandemic




WHO GUIDANCE TO MAINTAIN FP SERVICES DURING THE PANDEMIC

WHO guidance to maintain FP services during the pandemic

Maintaining essential health services: operational guidance for the COVID-19 context

Interim guidance
1 June 2020



OPERATIONAL GUIDELINES

Clinical management of COVID-19

Interim guidance
23 May 2020




CLINICAL MANAGEMENT



Community-based health care, including outreach and campaigns in the context of the COVID-19 pandemic

Interim guidance
May 2020



COMMUNITY BASED HEALTH CARE

Operational guidelines: Maintaining essential health care services

- Establish simplified purpose-designed governance and coordination mechanisms to complement response protocols.
- Prioritize essential services, including vaccination, care during pregnancy, childbirth and in the postnatal period, FP, care for young infants and older adults, mental health and psychosocial care.
- Optimize service delivery settings and platforms, including in alternative locations and models, community services, targeted outreach, and teleconsultation.
- Establish effective patient flow at all levels, including screening, triage, isolation of suspected and confirmed patients, targeted referral.
- Rapidly re-distribute health workforce capacity, including by re-assignment and task sharing, remote training.
- Maintain population trust to safely meet population needs and control infection risk.
- Fund public health and remove financial barriers to access.
- Strengthen communication strategies to support the appropriate use of essential services.
- Strengthen the monitoring of essential health services.
- Use digital platforms to support essential health service delivery.



Operational guidelines: Maintaining essential FP services

Programming evidence-based guidance & tools

- Support continuation of SRH services and triaging.
- IEC materials- Information about delayed availability of LARCs (IUCDs, implants) and sterilization services until resumption of routine services.
- Ensure adequate supply of contraceptive.
- Guidance to expand self-care including self-injection of DMPA.
- Standards for Infection prevention during IUD, PPIUCD and implant insertion (PP 16).
- Telemedicine- strengthen outreach services.

Capacity building/ Training of health care providers

- Online training tools for health care providers on FP /PPFP.
- Training FP providers on IPC standards and COVID 19 response.
- Training material & job aids on use of PPE.

Data support & monitoring

- Standardized format for reporting COVID-19 cases among couples using family planning methods.
- Monitoring last mile distribution of contraceptive and FP services.

Clinical management of COVID-19



3 main sections-

1. Guidance on infection prevention measures
2. Modifications for safe delivery of services
3. Transition towards restoration of activities

<https://www.who.int/publications-detail/clinical-management-of-covid-19>

1. Guidance on infection prevention measures: COVID 19

- Standards for Infection prevention during IUD, PPIUCD and implant insertion (PP16).
- Use the mask for provider and client and positioning of patient to keep the coughs away.
- Optimize service delivery settings and platforms, including in alternative locations and models, community services, targeted outreach, and teleconsultation.
- Establish effective patient flow at all levels, including screening, triage, isolation of suspected and confirmed patients, targeted referral.
- Strengthen health workforce capacity, including by re-assignment and task sharing, remote training.
- Maintain population trust to safely meet population needs and control infection risk.
- Monitor & communicate about where services can be accessed.

2. Modification for safe delivery of FP services

- If a woman's regular contraceptive method is not available, other contraceptive options (including barrier methods, fertility awareness-based methods and emergency contraceptives) should be made more readily available.
- Relax requirements for a prescription for oral or self-injectable contraception and emergency contraception and provide multi month supplies with clear information about the method and how to access referral care for adverse reactions.
- Enable pharmacies and drugstores to increase the range of contraceptive options they can provide and allow for multimonth prescriptions and self-administration of subcutaneous injectable contraceptives if available.

3. Transition towards restoration of activities

- Plan for clients to return to longer-term reversible methods (such as IUDs specifically PPIUD, implants) and permanent methods (tubal ligation and vasectomy) if these services were disrupted.
- Assess inventory and maintain data related to forecasting procurement and distribution of contraceptives to avoid potential stock outs.
- Monitor and communicate about where services can be accessed.
- Use digital platforms, telemedicine, tele counselling where possible.

Community-based health care (outreach and campaigns) during COVID-19 pandemic

- ❑ **Support trained community health workers to continue providing counselling at the community level about contraceptive options.**
- ❑ **Address users preferences for contraceptive methods that may change in the setting of the COVID-19 pandemic, based on potential disruptions of supply chains and limitations on access to health care facilities.**
- ❑ **Ensure that the community health workforce includes health workers who are appropriately trained to safely provide family planning services and information.**
- ❑ **Where appropriate, offer digital decision support tools to assist the community health workforce to safely provide contraception.**



Contraception/ Family planning and COVID-19: Questions and Answers (WHO-HQ, SRH)

Is contraception/ family planning safe to use?

I want to avoid getting pregnant. What can I do?

I can't access my contraceptive method of choice. What do you advise?

What is the best contraceptive method to use?

I want to change my contraceptive method – is this possible?

I want to remove or replace my implant or IUD – can I do this?

Why is providing contraception/ family planning, important?

As a policy maker what can I do to ensure contraception/ FP access?

As a programme manager how can I help people access services?

CONCLUSIONS: What do countries need to do to maintain FP services during the pandemic

1. FP and reproductive health services should be included in the package of essential services and develop strategies to ensure women and couple exercise their reproductive rights during the COVID-19 crisis
2. Reorganization of service delivery –physical distancing
3. Alternate models for service delivery – Tele Health and Private sector engagement
4. HR re-deployment, task shifting and capacity building
5. Ensure availability of drugs, Supplies & Equipment
6. Additional financial resources for the facilities



Source: UNFPA


Additional reading

- [WHO guidance on protecting human rights under the COVID-19 response.](#)
- [Critical guidelines on the safe provision of sexual and reproductive health services in the COVID-19 context.](#)
- The Inter-Agency Working Group on Reproductive Health in Crises (IAWG) developed a [programmatic guidance](#) specifically adapted to the COVID-19 crisis.
- International Federation of Gynecology and Obstetrics (FIGO) created a [COVID-19 resource page](#) on women's health.

WHO guidance to maintain FP services during the pandemic

Maintaining essential health services:
operational guidance for the
COVID-19 context

Interim guidance
1 June 2020



[Operational guidelines on the safe provision of sexual and reproductive health services in the COVID-19](https://www.who.int/publications-detail/10665-332240)
<https://www.who.int/publications-detail/10665-332240>

<https://www.who.int/publications-detail/clinical-management-of-covid-19>

https://apps.who.int/iris/bitstream/handle/10665/331975/WHO-2019-nCoV-Comm_health_care-2020.1-eng.pdf



PURPOSE

For girls and women to realize their full sexual and reproductive health and rights (SRHR), access to high-quality family planning information, counseling, and services must be ensured during the COVID-19 pandemic. Protection of extended pregnancy is not only a moral action, it is a priority action in the Minimum Initial Service Package (MISP) for Sexual and Reproductive Health. This document provides guidance for program staff and local partners on the maintenance of family planning programming during the emergency, surge, and recovery/transition phases of the COVID-19 response. Does this look like a realistic or enhanced programming commitment to expand, sustain, and/or protect?

OVERVIEW

The COVID-19 pandemic is likely to have a significant impact on health systems' capacity to deliver high-quality SRHR services. Lockdown and movement restrictions may impact access to services and the availability of commodities and supplies. This vulnerability has led to a number of country-specific concerns (LAC) as they require healthcare workers for inpatient and maternal procedures. Also, there may be a shift to go to health facilities. This has implications for changes in the service mix, distribution of staff for direct care, contraceptive methods (C/M), and subsequent risk for unintended pregnancy and need for comprehensive contraceptive care (CAC). Further, as 190 million women have been "locked" out of their centers, it may be assumed that the mix of unintended pregnancies and DAC will be higher among single and poor women who are already more vulnerable.

Women's and girls' family planning needs don't stop in emergencies. Disruption or interruption in the provision of family planning services during the COVID-19 crisis may result in a dramatic increase in unintended pregnancies. The fast-track health care systems that a 20% population decline in men and long-term interrupted contraceptive use would result in an additional 0.7 million women with an unmet need for modern contraception and an additional 2.1 million unintended pregnancies. Maintaining essential services is vital to protecting girls and women from the negative health consequences of unintended pregnancies, such as unsafe abortion and unintended pregnancy complications, which can threaten to escalate and affect life.

Provision of modern contraceptive (that is, oral and long-acting) information, counseling, and access to services (including emergency contraception) is a lifeline and should be available and available during the COVID-19 pandemic. Women, girls, and couples have the right to a safe and effective pregnancy through continued use of their chosen method, during a time of crisis. Learning emergency contraceptives, or switching to a different method. They also have the right to safe service if they are experiencing side effects, severe pregnancy, or want to change methods.

Technical Statement
April 2020

COVID-19 Contraception and Family Planning

Contraceptive and Family Planning services and supplies are CORE essential health services and access to these services is a fundamental right.

This statement needs to be supported and protected as soon as governments activate measures during the pandemic. But with the focus of saving health and lives in the COVID-19 pandemic, the provision of family planning and sexual health services and supplies are also at risk. The functioning of family planning services and supplies is also at risk. We urge governments to ensure that the provision of family planning services is maintained and protected during the pandemic.

The UN Secretary-General has issued a call for 'continued delivery of essential reproductive health services both at in-person and remote locations and services' during the COVID-19 crisis. This calls for governments to ensure that the provision of family planning services and supplies is maintained and protected during the pandemic. We urge governments to ensure that the provision of family planning services and supplies is maintained and protected during the pandemic.

Services of this important period of the Commission include: ensuring a 'safe and sound' environment for 'continued provision' of essential reproductive health services and supplies; ensuring that the 'supply' of essential reproductive health services and supplies is maintained and protected during the pandemic.

Services of this important period of the Commission include: ensuring a 'safe and sound' environment for 'continued provision' of essential reproductive health services and supplies; ensuring that the 'supply' of essential reproductive health services and supplies is maintained and protected during the pandemic.

1. Sexual Reproductive Health and Rights (SRHR) is a core part of a comprehensive family planning approach, a primary health care and essential public health service.

Access to health care has been an issue since many parts of the globe have been locked down. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted.



Impact of COVID-19 on Family Planning: What we know one year into the pandemic

COVID-19 has had a significant impact on the provision of family planning services and supplies. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted.

The impact of COVID-19 on family planning services and supplies has been significant. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted.

Services of this important period of the Commission include: ensuring a 'safe and sound' environment for 'continued provision' of essential reproductive health services and supplies; ensuring that the 'supply' of essential reproductive health services and supplies is maintained and protected during the pandemic.

Services of this important period of the Commission include: ensuring a 'safe and sound' environment for 'continued provision' of essential reproductive health services and supplies; ensuring that the 'supply' of essential reproductive health services and supplies is maintained and protected during the pandemic.

Services of this important period of the Commission include: ensuring a 'safe and sound' environment for 'continued provision' of essential reproductive health services and supplies; ensuring that the 'supply' of essential reproductive health services and supplies is maintained and protected during the pandemic.

2. Ensuring that the 'supply' of essential reproductive health services and supplies is maintained and protected during the pandemic.

Ensuring that the 'supply' of essential reproductive health services and supplies is maintained and protected during the pandemic. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted.

Documenting the Effects of COVID-19 on Family Planning Access and Use with Standardized Questions

In the COVID-19 pandemic and recovery periods, access to reproductive health services (RH) has been and will continue to be disrupted. We urge governments to ensure that the 'supply' of essential reproductive health services and supplies is maintained and protected during the pandemic.

PURPOSE The COVID-19 Interim Guidance aims to ensure that the 'supply' of essential reproductive health services and supplies is maintained and protected during the pandemic. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted.

USE The COVID-19 Interim Guidance aims to ensure that the 'supply' of essential reproductive health services and supplies is maintained and protected during the pandemic. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted. This has led to a number of countries where health care workers have been severely impacted.

- Conduct a baseline survey to assess the current status of family planning services and supplies.
- Conduct a baseline survey to assess the current status of family planning services and supplies.
- Conduct a baseline survey to assess the current status of family planning services and supplies.
- Conduct a baseline survey to assess the current status of family planning services and supplies.
- Conduct a baseline survey to assess the current status of family planning services and supplies.
- Conduct a baseline survey to assess the current status of family planning services and supplies.
- Conduct a baseline survey to assess the current status of family planning services and supplies.
- Conduct a baseline survey to assess the current status of family planning services and supplies.

CONTACT US If you are starting an existing COVID-19 survey, please email us at hrp@familyplanning2020.org and we can provide you with a short version of the survey tool. In addition to taking up of these surveys, we are interested in conducting needs and taking free surveys available in collaboration with partners.



SIX CONCRETE MEASURES TO SUPPORT WOMEN AND GIRLS IN ALL THEIR DIVERSITY IN THE CONTEXT OF THE COVID-19 PANDEMIC



Optimizing the World Health Organization COVID-19 Interim Guidance

Writing Recommendations for Sexual and Reproductive Health Advocacy During and Beyond the Pandemic



PAI
familyplanning

FP2020